

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

S 2902 VV

Order no. 307.779



1200 watt universal reciprocating saw with accelerator trigger switch

- VV electronic control: with constant stroke control, soft start with continuous speed control trigger
- Durable 1200 watt high-power motor
- Soft-grip handle: eliminates most of the vibration and ensures non-slip handling
- Universal saw blade holder: for an easy saw blade exchange
- Saw blade reverses to allow over-head sawing
- Tilt-adjustable saw support for accurate application to workpiece

Technical attributes	S 2902 VV
Orbit rate, no load	0-2600 opm
Orbit	28 mm
Power input	1200 watt
Power output	670 watt
Weight	3,8 kg

Standard equipment	
1 assortment of saw blades 198.757	
1 hexagon socket screw key, special tool 3/16"	259.648
1 hexagon socket screw key, special tool 5/32"	802.876
1 plastic carry case	1 piece

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Accessories

Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 3.0 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743



All reciprocating saw blades with common saw blade mount. Long metal blade 3 - 10 mm, bi-metal. For steel hollow section pipes, V2A, plastics pipes (also for pallet repair).

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	280	5	201.928



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	200	5	217.190



All reciprocating saw blades with common saw blade mount. Steel, V2A and hard metals, 1.50 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	200	5	217.751



All reciprocating saw blades with common saw blade mount. Trapezoidal sheet, thickness 1.25 mm and less.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
32	200	5	222.291

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Sabre saw blade for wood, plaster, porous concrete and other applications



All wood types.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751




Wood with nails, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	5	200.786



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	300	5	250.055



Coarse rapid cuts in green-wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	220	5	250.056



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	1	202.061



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	300	1	206.210

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Saws

Sabre blade assortment for plastic/wood/metal



Consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
150	3	198.757
